



AVIATION HEADSETS & ACCESSORIES



WWW.DAVIDCLARK.COM



DC ONE-X (P/N 43102G-01)

Advanced comfort and performance features

- Soft, Outlast® fabric, heat absorbing head pad
- Hybrid ENC technology for best-in-class active noise reduction
- Plush, over-the-ear, leatherette ear seals reduce heat build-up and provide memory foam seal for excellent noise attenuation
- Rugged, yet lightweight alloy suspension, just 12.3 ounces
- Compact control module with intuitive, multi-function control pad
- Bluetooth® for simple pairing with cell phones, tablets, MP3 and other electronic devices

Surround-the-Ear Style

HYBRID ELECTRONIC NOISE CANCELLING



DC ONE-XP (P/N 43102G-02)

Panel mount model with 6-pin connector

All the comfort and performance features of the DC ONE-X model, but with 6-pin connector for plugging directly into aircraft panel to power Hybrid Electronic Noise Cancelling.

The DC ONE-XP receives power directly from the aircraft. The batteries provided with the headset are only required if the headset is disconnected from the aircraft panel.



More Information? Visit
www.flytheone.com





DC PRO-X (P/N 43100G-01)

More Information? Visit www.go-dcpro.com



Technologically advanced.
Intelligently designed.

- Sleek, lightweight (7.5 oz.), supra-aural, rest-on-ear design
- Hybrid ENC technology for best-in-class active noise reduction
- Plush, leatherette ear seals with rest-on-ear design
- Soft, Outlast® fabric, heat absorbing head pad
- Rugged, yet lightweight – just 7.5 ounces
- Compact control module with intuitive, multi-function control pad
- Bluetooth® for simple pairing with cell phones, tablets, MP3 and other devices

HYBRID ELECTRONIC NOISE CANCELLING *Rest-On-Ear Style*

DC PRO-XA (P/N 43100G-04)

Panel mount with 5-pin (AIRBUS) connector



The DC PRO-XA provides all the same features and performance of the DC PRO-X but comes with a 5-pin (Airbus) connector.

The DC PRO-XA receives power directly from the aircraft. The batteries provided with the headset are only required if the headset is disconnected from the aircraft panel.

DC PRO-XP (P/N 43100G-02)

Panel mount with 6-pin connector



The DC PRO-XP provides all the same features and performance of the DC PRO-X but comes with a 6-pin connector.

The DC PRO-XP receives power directly from the aircraft. The batteries provided with the headset are only required if the headset is disconnected from the aircraft panel.



H10-13X (P/N 40411G-06)

Classic Design ENC headset

- Headset is hard-wired to the 9V battery module with auto shutoff feature
- In-line stereo/mono switch
- M-7A electret microphone
- Soft, expanded head pad and undercut comfort-gel ear seals
- Passive Noise Reduction 23 dB; Active Noise Reduction 17-22 dB
- NSN 5965-01-447-6274



More Information? Visit
www.davidclark.com



ELECTRONIC NOISE CANCELLING



H10-13XL (P/N 40411G-06)

Portable ENC technology

- Headset can be unplugged from portable battery module for use with Permanent Panel Mount Module (P/N 40594G-01)
- 9-Volt battery module with auto shutoff feature
- In-line mono/stereo switch
- M-7A electret microphone
- Passive Noise Reduction 23 dB; Active Noise Reduction 17-22 dB
- NSN 5965-01-447-6423
- Coil cord with single plug available for helicopter applications (P/N 40602G-02)

ALSO AVAILABLE **H10-13XP**

Same as H10-13XL headset with Permanent Panel Mount Module for accessing power from aircraft power supply





H10-13.4 (P/N 40411G-01)

The standard of excellence
in passive noise-attenuating
headsets for general aviation

ALSO AVAILABLE

H10-13S Stereo Model (P/N 40422G-01)



PASSIVE NOISE ATTENUATING



- The most popular passive noise-attenuating headset in general aviation
- Lightweight design for unmatched comfort, performance and reliability
- Expanded, super-soft head pad evenly distributes weight and eliminates 'hot spots'
- Larger, yet lighter, undercut comfort-gel ear seals
- M-7A amplified electret microphone ensures clear voice transmission
- Certified Noise Reduction Rating (NRR): 23 dB
- NSN 5965-01-446-1530

More Information? Visit
www.davidclark.com





H10-30 (P/N 12508G-17)

Outstanding value, comfort and performance in a starter headset

- Soft, air-flow pillow head pad
- Undercut comfort-gel ear seals
- M-7/DC electret microphone
- Certified Noise Reduction Rating (NRR): 24 dB
- NSN 5965-01-396-6216



More Information? Visit www.davidclark.com 

PASSIVE NOISE ATTENUATING

H20-10 (P/N 40495G-01)

Comfortable, contoured design with lightweight durability

- Head pad suspension system for pillow-like comfort
- Large, contoured gel ear seals
- Durable construction—lightweight composite materials
- M-7A amplified electret microphone
- Certified Noise Reduction Rating (NRR): 22 dB
- NSN 5965-01-447-6438



H10-60 (P/N 40128G-01)

Built-in versatility

- Interchangeable communication cord assemblies for use in fixed wing and helicopter applications
- Three-position headband pressure adjustment
- M-7A amplified electret microphone
- Certified Noise Reduction Rating (NRR): 23 dB
- NSN 5965-01-446-1516



DC PRO (P/N 43101G-01)

Passive Communication Headset designed for low-noise jet aircraft

- Sleek, lightweight (8 oz.), supra-aural, rest-on-ear design
- M-5B electret microphone with enhanced noise cancelling
- Rugged, yet lightweight alloy suspension
- Outlast® technology head pad with breathable, vented design
- Dura-Stitched leatherette ear seals for maximum comfort
- Collapsible, folding design for compact storage in David Clark headset bag (included)



ALSO AVAILABLE

DC PRO-S (P/N 43101G-06) Single Ear Model



PASSIVE NOISE ATTENUATING



DC PRO-A (P/N 43101G-02)

Passive Communication Headset comes with 5-pin (Airbus) connector



The DC PRO-A has all the same comfort and performance features as the DC PRO passive communication headset, but comes with a 5-pin plug for connecting to Airbus aircraft.

*More Information? Visit
www.go-dcpro.com*





H10-13H (P/N 40411G-02)

The number one choice for helicopter pilots

- Lightweight comfort and durability
- Standard 5' extended coil cord with U-174/U single plug
- Universal flex boom assembly
- M-7A amplified electret microphone
- Certified passive Noise Reduction Rating (NRR) 23 dB
- NSN 5965-01-446-1533



ALSO AVAILABLE

- H10-26 (P/N 40074G-02)
- H10-36 (P/N 12508G-20)
- H10-56 (P/N 18283G-02)
- H10-60H (P/N 40128G-03)


HELICOPTER HEADSETS



DC ONE-XH (P/N 43102G-06)

Excellent ANR performance, lightweight comfort

- Standard 5' extended coil cord with U-174/U single plug
- Soft, Outlast® fabric, heat absorbing head pad
- Hybrid ENC technology for best-in-class active noise reduction
- Rugged, yet lightweight alloy suspension, just 12.3 oz.
- Multi-function, compact control module
- Bluetooth® wireless audio



More Information? Visit
www.davidclark.com



Enhance your flying comfort with David Clark accessories

Outlast® Fabric Vented Head Pad

DC ONE Series / DC PRO Series

(P/N 15977P-04)

Leatherette Ear Seals, Pair

DC PRO Series supra-aural, rest-on-ear design

(P/N 15976P-03)

Leatherette Ear Seals, Pair

DC ONE Series circum-aural, surround-the-ear design

(P/N 15976P-07)

M-5B Electret Microphone

DC ONE Series / DC PRO Series

(P/N 09168P-85)

Microphone Protector

DC ONE Series / DC PRO Series

(P/N 40062G-02)



HEADSET ACCESSORIES

Microphone Protectors

M-7A (P/N 40062G-02)

M-4 (P/N 40062G-01)

M-1/DC (P/N 18434G-02)

M-7/DC Retrofit Kit

For older model headsets

(P/N 18376G-02)

Eye Glass Cushions

(P/N 12500G-02)

Ear Seal Comfort Cover

(P/N 22658G-01)

Undercut Comfort Gel Ear Seals

For H10-Series Headsets Only

(P/N 40863G-02)

H20-10 Contoured Gel Ear Seals

(P/N 40243G-05)

Head Pad Kits

Super-soft, double foam (P/N 40688G-36)

Sheepskin (P/N 40592G-01)

Soft Foam (P/N 18900G-45)

David Clark Headset Carry Bag

(P/N 40688G-08)

Order your headset accessories direct from the David Clark online store at www.davidclark.com/Store

More Information? Visit

www.davidclark.com





Optional Adapter Cords

More Information? Visit
www.davidclark.com



C10-15 Push-to-Talk Switch P/N 18216G-01

The industry standard C10-15 remote push-to-talk switch for use in general aviation applications. Featuring double pole switch contacts to assure positive keying with no dead spots. High-impact, molded ABS plastic housing provides maximum durability. Standard 5' extended coil cord with plug-in connectors is shielded for positive protection from radio frequency and magnetic resonance. A high-grade hook and pile yoke strap ensures tight, secure mounting.

COMMUNICATION

Communication Cord Plug Adapters

David Clark Company Communication Cord Plug Adapters allow general aviation pilots to use their headsets in both fixed wing and helicopter applications, simply by adding one of these adapter cords.



P/N 18253G-05

Converts a single U-174/U helicopter plug to the standard dual PJ055 & PJ068 plugs for fixed wing flying.



P/N 18253G-06

Converts the standard dual fixed wing PJ055 and PJ068 plugs to a single U-174/U plug for helicopters

"Few of us consider service when we make a purchase decision. We only appreciate the value of service when we need it. When you buy from David Clark Company, you're buying a commitment to total service. All the time. We believe "service" means much more than just repairing things. Our entire organization is dedicated to serving you. Highly qualified professionals are available to answer your questions, provide service and give you help with all your David Clark Company product needs."

– Brian Degnan, Customer Service Manager

CUSTOMER SERVICE INFORMATION

For headset repair, reconditioning, or information on any of our products:

- Within the Continental U.S.A. call our Customer Service Department at:

800-298-6235

- In Alaska: Northern Lights Avionics, Anchorage, Tel. **907-277-4811**

**All David Clark Company
Aviation Headsets
are backed by a
5-Year Warranty and are
FAA TSO Compliant**



CUSTOMER SERVICE

AUTHORIZED INTERNATIONAL REPAIR FACILITIES

Australia

Pacific Avionics Pty. Ltd.
Bankstown Airport, NSW 2200
Tel. 02-979-11137
Email: peter.flanagan@pacificavionics.com.au

Canada

Kitchener Aero
Breslau, Ontario
Tel. 519-648-2921
Email: avionx@kitcheneraero.com

Canada

Maxcraft Avionics
Pitt Meadows, B.C.
Tel. 604-465-3080
Email: elizabeth@maxcraft.ca

England

Headset Services, Ltd.
Lancing, West Sussex
Tel. 44-1273-234181
Email: info@headsetservices.com

Singapore

Aviation & Electronics Support
Tel. 65-6481-2261
Email: - lucy.lim@aes-asia.com

South Africa

Century Avionics
Lanseria International Airport
Tel. 27-11-701-3244
Email: Sales@centuryavionics.co.za

South America

Gulf Coast Avionics
Bogota, Columbia
Tel. 863-709-1022
Email: Gerencia@GCAC.com.co

**See website link for
up-to-date information:
www.davidclark.com/intlrep.php**

A LEGACY OF AVIATION INNOVATION

Since 1935 David Clark Company has taken great pride in its ability to design and manufacture quality products. From the company's early years it has been both a pioneer and leader in a wide variety of civilian and military markets. In 1975 we introduced the first noise-attenuating aviation headset models. Our trademark "green headset domes" are now known worldwide.

From the textile industry, to space suits for NASA, to the latest in aviation headsets and communication systems technology – we have strived to deliver the very best products and service to our customers. David Clark Company's ongoing dedication and commitment to the production of quality products, backed by superior customer service, have set us apart from our competition and will continue to do so in the future.

HISTORY

All David Clark Company Aviation Headsets are backed by a 5-year warranty and are FAA TSO compliant.

For additional information regarding our complete line of Aviation Headsets and Accessories visit: **www.davidclark.com**



David Clark Company Incorporated
360 Franklin Street, Worcester, MA 01604 U.S.A.
Tel. 508-751-5800

