

A close-up, profile view of a pilot in a cockpit. The pilot is wearing a black headset with a microphone and a logo on the earcup, and black sunglasses. The pilot's hand is visible near the controls. The background shows the cockpit's interior and a window looking out onto a bright sky.

MILITARY AVIATION HEADSETS

 *David  
Clark*

[WWW.DAVIDCLARK.COM](http://WWW.DAVIDCLARK.COM)



**DC ONE-XM** (P/N 43102G-03)

Born from a legacy  
of mission-proven  
performance



## *Surround-the-Ear Style* HYBRID ELECTRONIC NOISE CANCELLING



### Advanced comfort and performance features

- Hybrid Electronic Noise Cancelling for excellent ANR performance
- Rugged, yet lightweight alloy suspension, just 12.3 ounces
- M-2 dynamic microphone for enhanced noise cancelling
- Digital Signal Processing (DSP) technology provides high fidelity audio for mission critical communications
- Soft, Outlast® fabric, heat-absorbing head pad technology
- Plush, surround-the-ear, leatherette ear seals create snug seal and enhance comfort
- Features U-174/U plug compatible with military aircraft low impedance Intercom Communication Systems
- Bluetooth® wireless technology (Bluetooth Disabled Available)
- NSN 5965-01-684-5485



Compact control module with intuitive, multi-function control pad. Provides Fail-Safe operation to ensure full communication in the event of battery loss or failure.

More Information? Visit  
[www.davidclark.com](http://www.davidclark.com)



# DC PRO-2

Lightweight, supra-aural, passive noise attenuating headset for low-noise military cockpits



**DC PRO-2** (P/N 43106G-07)  
Single Ear Model



## PASSIVE NOISE ATTENUATING

*Rest-On-Ear Style*

**DC PRO-2** (P/N 43106G-04)  
Dual Ear Model



### Advanced comfort and performance features

- Rugged, yet lightweight (8.6 oz.), supra-aural, rest-on-ear design
- Features U-174/U plug compatible with military aircraft low impedance Intercom Communication Systems
- Dual volume controls permit independent listening levels in each ear
- Plush, leatherette ear seals for maximum comfort
- Soft, Outlast® fabric, heat absorbing head pad
- Adjustable suspension system for personalized fit
- Swivel hinge stirrups for secure fit with reduced clamping pressure
- M-2 dynamic microphone for enhanced noise cancelling
- Full flex boom for precise microphone placement
- Collapsible design for compact storage
- NSN Pending



More Information? Visit  
[www.davidclark.com](http://www.davidclark.com)





## H10-76 (P/N 12510G-21)

### Passive noise-attenuating headset

- Low impedance
- Expanded, soft foam head pad
- Hinged wire boom with DC-87 noise-cancelling dynamic microphone (MIL-M-26542/2 USAF specifications)
- Allows use of standard-issue oxygen/bio-chemical mask with microphone
- Larger, comfort gel, undercut ear seals for greater comfort
- Noise Reduction Rating (NRR): 24 dB
- NSN 5965-01-390-9240



More Information? Visit  
[www.davidclark.com](http://www.davidclark.com)



## AIR CREW HEADSETS



## H10-76XL (P/N 40699G-01)

### Electronic noise-cancelling headset

- ENC technology for increased noise attenuation
- Fail-Safe operation
- Expanded, soft foam head pad
- Flex-wire boom with DC-87 noise-cancelling, dynamic microphone (MIL-M-26542/2 USAF specifications)
- Allows use of standard-issue oxygen/bio-chemical mask with microphone
- Larger, comfort gel, undercut ear seals for greater comfort
- NSN 5965-01-462-8230

### PORTABLE BATTERY-POWERED MODULE XL-9V-M

ENC portable, battery-powered module features a rotating body clamp on a durable, 8-position swivel hinge for secure attachment to clothing. Compact, lightweight module uses a single 9V battery.





## H10-66 (P/N 18283G-03)

### High/low impedance selectable headset

- High/Low impedance select switch on dome matches headset to system impedance (military/civilian)
- Hinged wire boom with DC-87 noise-cancelling, dynamic microphone
- Soft, foam-filled head pad with comfort-gel, undercut ear seals for maximum comfort
- Noise Reduction Rating (NRR): 27 dB
- NSN 5965-01-360-0454



## DUAL IMPEDANCE HEADSETS



## H10-66XL (P/N 40614G-05)

### Electronic Noise-Cancelling, High/low impedance selectable headset

- ENC technology for increased noise attenuation
- High/Low impedance select switch on dome matches headset to system impedance (military/civilian)
- Hybrid, flex-wire boom with DC-87 noise-cancelling, dynamic microphone (MIL-M-26542/2 USAF specifications)
- Soft, foam-filled head pad with comfort-gel, undercut ear seals for maximum comfort
- NSN 5965-01-519-6398

### PORTABLE BATTERY-POWERED MODULE XL-9V-M



ENC portable, battery-powered module features a rotating body clamp on a durable, 8-position swivel hinge for secure attachment to clothing. Compact, lightweight module uses a single 9V battery.

More Information? Visit  
[www.davidclark.com](http://www.davidclark.com)





## C-17 Dual Ear (P/N 40493G-01)

Specially designed for C-17 aircraft

- Larger, comfort-gel, undercut ear seals for greater comfort
- Full flex boom for easy microphone placement
- Expanded, super-soft head pad for added comfort
- Single volume control
- Noise-cancelling, M-7A microphone
- 1200 ohm earphones, wired in parallel for enhanced reliability
- 5-foot extended coil cord, single plug (U-174/U)
- Certified Noise Reduction Rating (NRR): 23 dB
- NSN 5965-01-424-3297



## SPECIAL C-17 AIRCRAFT HEADSETS



## DC ONE-XM (P/N 43102G-09)

Active Noise Reduction designed for C-17 aircraft

- Hybrid Electronic Noise Cancelling for excellent ANR performance
- Rugged, yet lightweight alloy suspension, just 12.3 ounces
- M-5B electret microphone for enhanced noise cancelling
- Digital Signal Processing (DSP) technology provides high fidelity audio
- Soft, Outlast® fabric, heat-absorbing head pad technology
- Plush, surround-the-ear, leatherette ear seals
- Features U-174/U plug compatible with C-17 aircraft high impedance Intercom Communication Systems
- Bluetooth® wireless technology
- NSN 5965-01-680-0088



## DC JET (P/N 43108G-01) ANR Models Available

### Passive Air Crew Headset, Designed for Low-Noise Jet Aircraft

- Sleek, ultra-lightweight (4.5 oz.) supra-aural, rest-on-ear design
- M-5B electret microphone with enhanced noise cancelling
- Adjustable suspension assembly with swivel-hinge stirrups
- Outlast® technology, heat-absorbing head pad with breathable, vented design
- Dura-Stitched leatherette ear seals for maximum comfort
- Fold flat design for compact storage



## DC PRO-2 (P/N 43106G-01) ANR Models Available

### Passive Air Crew Headset, High Impedance, GA Dual Plug

- Sleek, lightweight, supra-aural, rest-on-ear design
- M-5A electret microphone with enhanced noise cancelling
- Rugged, yet lightweight alloy suspension
- Outlast® technology, heat-absorbing head pad with breathable, vented design
- Dura-Stitched leatherette ear seals for maximum comfort
- Collapsible, folding design for compact storage



## KC-46 AIRCRAFT HEADSETS

*Rest-On-Ear Style*

## DC PRO-2 (P/N 43106G-04)

### Passive Communication Headset, Low Impedance, U-174/U Single Plug

- Ideal for refueling and cargo positions
- Features U-174/U single plug compatible with KC-46 aircraft low impedance system
- Ultra-lightweight, supra-aural, rest-on-ear design
- M-2 dynamic microphone with enhanced noise cancelling
- Outlast® technology, heat-absorbing head pad with breathable, vented design
- Dura-Stitched leatherette ear seal for maximum comfort



## DC PRO-2 (P/N 43106G-07)

### Passive Communication Headset, Low Impedance, U-174/U Single Plug

- Single ear designs permits hearing of ambient sound
- Ideal for refueling and cargo positions
- Features U-174/U single plug compatible with KC-46 aircraft low impedance system
- M-2 dynamic microphone with enhanced noise cancelling
- Outlast® technology, heat-absorbing head pad with breathable, vented design
- Dura-Stitched leatherette ear seal for maximum comfort





## DC ONE-XMP (P/N 43102G-10)

### Power for ENC provided by aircraft, TP-108 Plug

- Hybrid Electronic Noise Cancelling for excellent ANR performance
- Rugged, yet lightweight alloy suspension, just 12.3 ounces
- M-2 dynamic microphone for enhanced noise cancelling
- Digital Signal Processing (DSP) technology provides high fidelity audio for mission critical communications
- Soft, Outlast® fabric, heat-absorbing head pad technology
- Plush, surround-the-ear, leatherette ear seals create snug seal and enhance comfort
- Bluetooth® wireless technology
- NSN Pending

## SPECIAL C-130J ELECTRONIC NOISE CANCELLING

### C-130J ENC Headset/Adapter (P/N 40696G-01)

#### Specially designed for C-130J aircraft, TP-108 Plug



- Advanced ENC technology for increased noise attenuation
- Larger, comfort-gel, undercut ear seals for greater comfort
- Hybrid, flex/wire boom for easy, 'one touch' microphone placement
- DC-87 noise-cancelling, dynamic microphone (MIL-M-26542/2 USAF specifications)
- Super-soft head pad for added comfort
- NSN 5965-01-483-3200



#### ADAPTER (P/N 40697G-01)

- Power for ENC provided by aircraft
- Replaces battery pack
- Durable design for rugged reliability
- TP-108 plug
- NSN 5895-01-483-3203

*Adapter interfaces ENC headset P/N 40696G-01 to the C-130J aircraft*



# P/N 40523G-01

Ideal for training, simulation, unmanned operations

- Single ear permits hearing of ambient sound
- Lightweight design
- Full flex boom with DC-87 noise-cancelling, dynamic microphone (MIL-M-26542/2 USAF specifications)
- Soft, foam-chambered head and temple pads for outstanding comfort
- Larger, comfort-gel, undercut ear seal for greater comfort
- Coil cord with U-174/U plug, extends to 5 feet
- NSN 5965-01-439-0793



## SPECIAL GROUND SUPPORT HEADSETS

# H7010 (P/N 12512G-01)

Superior communication in high wind/high noise environments

- Noise-shielded microphone (muff) with On/Off switch for clear voice transmission
- Microphone muff secured to mouth by snap-fastened nylon straps
- 30-inch straight cord with U-174/U plug
- DC-87 noise-cancelling, dynamic microphone (MIL-M-26542/2 USAF specifications)
- Soft foam head pad and ear seals provide maximum comfort
- Corrosion-resistant, chrome-plated head pad/stirrup assembly
- Noise Reduction Rating (NRR): 26 dB
- NSN 5965-01-182-5727



More Information? Visit  
[www.davidclark.com](http://www.davidclark.com)





# SERIES 9900 WIRELESS COMMUNICATION SYSTEM

Wireless mobility for airfield and flight deck operations



## U9920-GPB (P/N 40993G-01)

Pushback gateway connects to aircraft interphone systems

- Hands-free, full-duplex intercom communication
- DECT-based technology for secure signaling and prevents unwanted 'cross talk'
- Accommodates up to four (4) users simultaneously connected with audio
- Water-tight, impact resistant enclosure for rugged reliability

## PUSHBACK INTERFACE CORD (P/N 41035G-XX)



Connects U9920 Gateway to aircraft interphone. A variety of inline impedance adapter connectors available for military aircraft.

# WIRELESS GROUND SUPPORT COMMUNICATION

## H9935 (P/N 40990G-02)

Ideal for maintenance and deicing crews



- Four-chamber, air-flow pillow head pad for added comfort
- Dual volume controls
- Marine-grade stainless steel hardware for rugged reliability
- Larger, comfort-gel, undercut ear seals for greater comfort
- Dual volume controls
- **H9935** - Fixed boom assembly reduces Foreign Object Damage (FOD)
- **H9935/H9910** - Noise Reduction Rating (NRR): 26 dB

## H9910 (P/N 41031G-01)

Muff mic style for ground support operations



## U9910-BSW (P/N 40992G-01)

Wireless Belt Station



Transmits and receives audio, to and from the gateway and user's headset, while eliminating extraneous noise from critical communications. Provides hands-free, full-duplex, voice-activated intercom communication

More Information? Visit [www.davidclark.com](http://www.davidclark.com)



## David Clark Aviation Headset Accessories



**Outlast® Fabric Vented Head Pad**  
DC ONE Series / DC PRO Series  
(P/N 15977P-04)  
NSN Pending



**Double Foam Head Pad Kit**  
(P/N 40688G-36)  
NSN 5965-01-519-5118



## ACCESSORIES



**Leatherette Ear Seals, Pair**  
*DC PRO Series* supra-aural, rest-on-ear design  
(P/N 15976P-03) • NSN Pending



**Leatherette Ear Seals, Pair**  
*DC ONE Series* circum-aural, surround-the-ear design (P/N 15976P-07) • NSN Pending



**Undercut, Comfort-Gel Ear Seals, Pair**  
Circum-aural, surround-the-ear design  
(P/N 40863G-02) • NSN 5965-01-516-8082



**DC-87 Microphone Protector**  
P/N 40062G-06 • NSN Pending



**M-2 Microphone Protector**  
P/N 40062G-06 • NSN Pending



**M-5 / M-7 Microphone Protector**  
P/N 40062G-02 • NSN 5065-01-424-3296

## A LEGACY OF AVIATION INNOVATION

Since 1935 David Clark Company has taken great pride in its ability to design and manufacture quality products. From the company's early years it has been both a pioneer and leader in a wide variety of civilian and military markets. In 1975 we introduced the first noise-attenuating aviation headset models. Our trademark "green headset domes" are now known worldwide.

## HEADSETS DESIGNED FOR SPECIAL MILITARY APPLICATIONS

David Clark Company is a trusted manufacturer of special and standard aviation headsets for the U.S. Armed Forces, NATO and most airborne command centers.

Our capability for designing and manufacturing special headsets for specific applications is unmatched in the industry. From prototyping, to real-world trials, to final production, count on David Clark Company for quality, reliability and performance.

## HISTORY / CAPABILITIES

For additional information regarding our complete line of Military Aviation Headsets and Accessories please visit our website.

All David Clark Company  
Military Aviation Headsets  
are backed by a  
1-Year Warranty

